

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	4146	(703/1,2,22).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/05 14:05
L3	393	(716/20).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/05 14:06
L4	11	deformable near objects and (meshing)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/12/05 14:11
L5	3	I2 and ((deformable near (objects medium)) same (mesh\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:12
L6	5	I2 and ((deform\$5 near (objects medium)) same (mesh\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:16
L7	5	(I3 I2) and ((deform\$5 near (objects medium)) same (mesh\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:16
L8	27	(I3 I2) and ((deform\$5 near (objects medium)) and (mesh\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:21
L11	2	(balaniuk and (long adj element))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:23
L12	16	(costa and (long adj element))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:24

EAST Search History

L13	2	(Salisbury and (long adj element))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:25
L18	3	((long adj element) and (deform\$4)). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:29
L19	7	(long near element near method)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/12/05 14:29

Google

"long element method"

Search

Advanced Search Preferences

Web

Results 1 - 10 of about 175 for "long element method". (0.13 seconds)

Personal

Long Element Method and the Volume Distribution Model. **Long Element Method (LEM)** views the objects as two-dimensional distributed elements filled with an ...

www.mendozajullia.com/research/sharpsSimulator.htm - 40k - [Cached](#) - [Similar pages](#)

[\[PDF\]](#) [A Fast Method to Simulate Virtual Deformable Objects with Force ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Firstly, we present LEM - **Long Element Method**, a method created for physically based simulation With the new **Long Element Method (LEM)** based on ...

www.mendozajullia.com/papers/icarcv02.pdf - [Similar pages](#)

[[More results from www.mendozajullia.com](#)]

Relating a terms and conditions object to a new business policy

You must add the new ejbCreate(**Long, Element**) method to the home interface. ... Right-click the ejbCreate(**Long, Element**) method in the Outline view and ...

publib.boulder.ibm.com/.../com.ibm.commerce.

developer.business.doc/tasks/tctrelatetermsobjectnewpolicy.htm - 50k -

[Cached](#) - [Similar pages](#)

Emerald FullText Article : Elasticity modeling and estimation for ...

Purpose – To propose a new haptic modeling and contact analysis algorithm (modified **long element method (MLEM)**) to efficiently model deformation, ...

www.emeraldinsight.com/.../EmeraldFullTextArticle/Articles/0490340305.html - [Similar pages](#)

Computers & Graphics : Deformable simulation using force ...

In **long element method** [19], object is discretized into long elements, in the form of rectangular parallelepipeds, filled with incompressible fluids. ...

linkinghub.elsevier.com/retrieve/pii/S0097849304000561 - [Similar pages](#)

A fast method to simulate virtual deformable objects with force ...

With the new **Long Element Method**. (LEM). based on Pascal's principle and the conservation. of volume, it is now possible. to. calculate global ...

ieeexplore.ieee.org/iel5/8741/27681/01234857.pdf - [Similar pages](#)

[\[PDF\]](#) [Towards a Flexible General Training Simulator Platform Based on ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The **Long Element Method**, LEM, where developed for. real-time physically based dynamic simulation of de-. formable objects, and therefore highly suitable for ...

www.automaatioseura.fi/confprog/downloadfile_public.php?conference=12&filename=12-12026.pdf - [Similar pages](#)

Faithful Haptic Feedback in Medical Simulators

We currently use a new physical model **LEM - Long Element Method** With the new **Long Element Method (LEM)** based on Pascal's principle and the ...

www.springerlink.com/index/tamwkmkechqw6e4q.pdf - [Similar pages](#)

Project-e-Motion:Advanced Software

It includes the Finite Element Method (FEM) and the **Long Element Method (LEM)**

deformable models for physical simulation. It also has interactions models for ...
ralyx.inria.fr/2005/Raweb/e-motion/uid24.html - 12k - [Cached](#) - [Similar pages](#)

Simulation of real-time deformable soft tissues for computer ...

Another lumped model is the **Long Element Method**. (LEM). (8) . In the LEM model, the surface object is. divided into smaller areas, and each area is ...
doi.wiley.com/10.1002/rcs.12 - [Similar pages](#)

1 [2](#) [3](#) [4](#) [5](#) [6](#) [Next](#)

Try [Google Desktop](#): search your computer as easily as you search the web.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)